Correlation: 2016 Alabama Course of Study, Mathematics standards and NAEP Objectives
When teaching Alabama Course of Study content, NAEP objectives and items are useful for identifying a level of rigor which matches proficient student performance nationwide. The NAEP objectives identify content that could be included in lessons building toward master of the correlating standards from the 2016 Alabama Course of Study: Mathematics.

	Grade 5 Alabama Course of Study		
Grade	Standard	NAEP Objective(s) Grade 4	NAEP Objective(s) Grade 8
5	<b>1. [5.OA.1]</b> Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols.		
5	2. [5.OA.2] Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them Example: Express the calculation "add 8 and 7, then multiply by 2" as 2 x (8 + 7). Recognize that 3 x (18,932 + 921) is three times as large as 18,932 + 921, without having to calculate the indicated sum or product.		
5	3. [5.OA.3] Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane Example: Given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.	<ul> <li>4A1b Given a pattern or sequence, construct or explain a rule that can generate the terms of the pattern or sequence.</li> <li>4A1c Given a description, extend or find a missing term in a pattern or sequence.</li> </ul>	

5	4. [5.NBT.1] Recognize that in a multidigit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.		<b>8NPO1a</b> Use place value to model and describe integers and decimals.
5	5. [5.NBT.2] Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use wholenumber exponents to denote powers of 10.	<ul> <li>4NPO3d Describe the effect of operations on size (whole numbers).</li> <li>4NPO6a Explain or justify a mathematical concept or relationship (e.g., explain why 15 is an odd number or why 7–3 is not the same as 3–7).</li> <li>4A1b Given a pattern or sequence, construct or explain a rule that can generate the terms of the pattern or sequence.</li> </ul>	8NPO1a Use place value to model and describe integers and decimals.
5	6. [5.NBT.3] Read, write, and compare decimals to thousandths.  a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., 347.392 = 3 x 100 + 4 x 10 + 7 x 1 + 3 x (1/10) + 9 x (1/100) + 2 x (1/1000).  b. Compare two decimals to thousandths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons.		8NPO1a Use place value to model and describe integers and decimals.  8NPO1d Write or rename rational numbers.  8NPO1h Order or compare rational numbers (fractions, decimals, percents, or integers) using various models and representations (e.g., number line).
5	7. [5.NBT.4] Use place value understanding to round decimals to any place.		<b>8NPO1a</b> Use place value to model and describe integers and decimals.
5	8. [5.NBT.5] Fluently multiply multi-digit whole numbers using the standard algorithm.	<b>4NPO3b</b> Multiply whole numbers: • No larger than two-digit by two-digit with paper-and-pencil computation, or • Larger numbers with use of Calculator	<b>8NPO3</b> a Perform computations with rational numbers.

5	9. [5.NBT.6] Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	<b>4NPO3c</b> Divide whole numbers: • Up to three digits by one digit with paper-and-pencil computation, or • Up to five digits by two digits with use of calculator.	8NPO3a Perform computations with rational numbers.
5	10. [5.NBT.7] Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method, and explain the reasoning used.	4NPO3a Add and subtract: • Whole numbers, or • Fractions with like denominators, or • Decimals through hundredths.	8NPO3a Perform computations with rational numbers.
5	11. [5.NF.1] Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators  Example: $2/3 + 5/4 = 8/12 + 15/12 = 23/12$ . (In general, $a/b + c/d = (ad + bc)/bd$ .)		8NPO3a Perform computations with rational numbers.  8NPO6b Provide a mathematical argument to explain operations with two or more fractions.
5	12. [5.NF.2] Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally, and assess the reasonableness of answers. Example: Recognize an incorrect result $2/5 + 1/2 = 3/7$ by observing that $3/7 < 1/2$ .	4NPO3f Solve application problems involving numbers and operations.	8NPO3a Perform computations with rational numbers.  8NPO6b Provide a mathematical argument to explain operations with two or more fractions.


13. [5.NF.3] Interpret a fraction as division **4NPO3f** Solve application problems 8NPO3a Perform computations with of the numerator by the denominator (a/b =involving numbers and operations. rational numbers.  $a \div b$ ). Solve word problems involving division of whole numbers leading to 8NPO3d Describe the effect of 4NPO4a Use simple ratios to describe answers in the form of fractions or mixed problem situations. multiplying and dividing by numbers, numbers, e.g., by using visual fraction including the effect of multiplying or models or equations to represent the dividing a rational number by: • Zero, or • problem. Example: Interpret 3/4 as the A number less than zero, or • A number result of dividing 3 by 4, noting that 3/4 between zero and one, • One, or • A multiplied by 4 equals 3, and that when 3 number greater than one. wholes are shared equally among 4 people each person has a share of size 3/4. If 9 **8NPO6b** Provide a mathematical people want to share a 50-pound sack of argument to explain operations with two rice equally by weight, how many pounds or more fractions. of rice should each person get? Between which two whole numbers does your answer lie?

14. [5.NF.4] Apply and extend previous **4M1g** Solve problems involving area of 8NPO3a Perform computations with understandings of multiplication to squares and rectangles. rational numbers. multiply a fraction or whole number by a 8NPO3d Describe the effect of fraction. a. Interpret the product (a/b) x q as a parts multiplying and dividing by numbers, of a partition of q into b equal parts; including the effect of multiplying or equivalently, as the result of a sequence of dividing a rational number by: • Zero, or • operations  $a \times q \div b$ . Example: Use a visual A number less than zero, or • A number fraction model to show (2/3) x 4 = 8/3, and between zero and one, • One, or • A create a story context for this equation. Do number greater than one. the same with  $(2/3) \times (4/5) = 8/15$ . (In general,  $(a/b) \times (c/d) = ac/bd$ .) **8NPO5e** Apply basic properties of b. Find the area of a rectangle with operations. fractional side lengths by tiling it with unit squares of the appropriate unit fraction side **8NPO6**b Provide a mathematical lengths, and show that the area is the same argument to explain operations with two as would be found by multiplying the side or more fractions. lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.

	5	<b>15.</b> [5.NF.5] Interpret multiplication as	4NPO6a Explain or justify a mathematical	<b>8NPO1h</b> Order or compare rational
		scaling (resizing), by:	concept or relationship (e.g., explain why	numbers (fractions, decimals, percents, or
		a. Comparing the size of a product to the	15 is an odd number or why 7–3 is not the	integers) using various models and
		size of one factor on the basis of the size of	same as 3–7).	representations (e.g., number line).
		the other factor, without performing the		
		indicated multiplication.		<b>8NPO3a</b> Perform computations with
		b. Explaining why multiplying a given		rational numbers.
		number by a fraction greater than 1 results		
		in a product greater than the given number		<b>8NPO3d</b> Describe the effect of
		(recognizing multiplication by whole		multiplying and dividing by numbers,
		numbers greater than 1 as a familiar case),		including the effect of multiplying or
		explaining why multiplying a given		dividing a rational number by: • Zero, or •
		number by a fraction less than 1 results in a		A number less than zero, or • A number
		product smaller than the given number, and		between zero and one, • One, or • A
		relating the principle of fraction		number greater than one.
		equivalence $a/b = (n \times a)/(n \times b)$ to the		
		effect of multiplying a/b by 1.		
-	-	16 ME 010 1 1 11 11	ANDOGEG 1 1' d' 11	ONDOTEM 1.1 1.1 1.1
	5	16. [5.NF.6] Solve real-world problems	4NPO3f Solve application problems	8NPO1b Model or describe rational
		involving multiplication of fractions and	involving numbers and operations.	numbers or numerical relationships using
		mixed numbers, e.g., by using visual		number lines and diagrams.
		fraction models or equations to represent		ONDO14 Write on none metion of
		the problem.		<b>8NPO1d</b> Write or rename rational
				numbers.

17. [5.NF.7] Apply and extend previous **4NPO3f** Solve application problems 8NPO3a Perform computations with understandings of division to divide unit involving numbers and operations. rational numbers. fractions by whole numbers and whole numbers by unit fractions. (Students able 8NPO3d Describe the effect of to multiply fractions in general can multiplying and dividing by numbers, develop strategies to divide fractions in including the effect of multiplying or general by reasoning about the relationship dividing a rational number by: • Zero, or • between multiplication and division. A number less than zero, or • A number However, division of a fraction by a between zero and one, • One, or • A fraction is not a requirement at this grade.) number greater than one. a. Interpret division of a unit fraction by a nonzero whole number, and compute such **8NPO5e** Apply basic properties of quotients. Example: Create a story context operations. for  $(1/3) \div 4$ , and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that  $(1/3) \div 4 = 1/12$ because  $(1/12) \times 4 = 1/3$ . b. Interpret division of a whole number by a unit fraction, and compute such quotients. - Example: Create a story context for  $4 \div (1/5)$ , and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that  $4 \div (1/5) = 20$ because  $20 \times (1/5) = 4$ . c. Solve real-world problems involving division of unit fractions by nonzero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. Examples: How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 1/3cup servings are in 2 cups of raisins?

5	18. [5.MD.1] Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multistep, real-world problems.	4M2b Solve problems involving conversions within the same measurement system, such as conversions involving inches and feet or hours and minutes.	
5	19. [5.MD.2] Make a line plot to display a data set of measurements in fractions of a unit (1/2, 1/4, 1/8). Use operations on fractions for this grade to solve problems involving information presented in line plots. Example: Given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.	4DASP1b For a given set of data, complete a graph (limits of time make it difficult to construct graphs completely).	
5	20. [5.MD.3] Recognize volume as an attribute of solid figures, and understand concepts of volume measurement.  a. A cube with side length 1 unit, called a "unit cube," is said to have "one cubic unit" of volume, and can be used to measure volume.  b. A solid figure which can be packed without gaps or overlaps using <i>n</i> unit cubes is said to have a volume of <i>n</i> cubic units.		8M1h Solve problems involving volume or surface area of rectangular solids, cylinders, prisms, or composite shapes.
5	21. [5.MD.4] Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.		<b>8M1h</b> Solve problems involving volume or surface area of rectangular solids, cylinders, prisms, or composite shapes.



5	23. [5.G.1] Use a pair of perpendicular number lines, called axes, to define a coordinate system with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.  Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).	<ul> <li>4A2c Graph or interpret points with whole- number or letter coordinates on grids or in the first quadrant of the coordinate plane.</li> <li>4G4a Describe relative positions of points and lines using the geometric ideas of parallelism or perpendicularity.</li> </ul>	
5	24. [5.G.2] Represent real-world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.	<b>4A2c</b> Graph or interpret points with whole- number or letter coordinates on grids or in the first quadrant of the coordinate plane.	
5	25. [5.G.3] Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category Example: All rectangles have four right angles and squares are rectangles, so all squares have four right angles.	<ul> <li>4G3a Analyze or describe patterns of geometric figures by increasing number of sides, changing size or orientation (e.g., polygons with more and more sides).</li> <li>4G5a Distinguish which objects in a collection satisfy a given geometric definition and explain choices.</li> </ul>	8G1b Identify a geometric object given a written description of its properties.  8G3f Describe or analyze simple properties of, or relationships between, triangles, quadrilaterals, and other polygonal plane figures.
5	<b>26.</b> [ <b>5.G.4</b> ] Classify two-dimensional figures in a hierarchy based on properties.	4G5a Distinguish which objects in a collection satisfy a given geometric definition and explain choices.	8G3f Describe or analyze simple properties of, or relationships between, triangles, quadrilaterals, and other polygonal plane figures.